

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

NOV 28 2016

# CERTIFIED MAIL 7015 1730 0002 0524 4034 RETURN RECEIPT REQUESTED

ZF Gainesville, LLC ATTN: Mr. Phillip Linderenstruth Director of Operations 1261 Palmour Drive SW Gainesville, Georgia 30501

Re: Information Request Pursuant to Section 308 of the Clean Water Act (CWA), 33 U.S.C. § 1318, for ZF Gainesville, LLC, in Gainesville, Hall County, Georgia.

Dear Mr. Linderenstruth:

On September 1, 2015, the U.S. Environmental Protection Agency Region 4 performed an inspection of ZF Gainesville, LLC's facility (Facility) located at 1261 Palmour Drive SW in Gainesville, Hall County, Georgia. The purpose of the inspection was to evaluate ZF Gainesville, LLC's compliance with the requirements of Sections 301 and 307(d) of the Clean Water Act (CWA), 33 U.S.C. §§ 1311 and 1317(d); and the regulations promulgated thereunder at 40 C.F.R. Part 403 and Part 433; and the State of Georgia pretreatment regulations at Ga. Comp. R. & Regs. 391-3-6-.08 and 391-3-6-.09.

The EPA is providing the enclosed Inspection Report describing specific observations made at the Facility during the inspection (See Enclosure A). The EPA is continuing to investigate the Facility's compliance with the CWA. Therefore, pursuant to Section 308 of the CWA, 33 U.S.C. § 1318, the EPA hereby requests that ZF Gainesville, LLC provide the information set forth in Enclosure B within twenty-one (21) calendar days of your receipt of this letter.

ZF Gainesville, LLC's response should be submitted to:

Ms. Jeannie Williamson
U.S. Environmental Protection Agency, Region 4
NPDES Permitting and Enforcement Branch
Atlanta Federal Center (MC 9T25)
61 Forsyth Street, S.W.
Atlanta, Georgia 30303-8960

Failure to provide a full and complete response to this information request or to adequately justify a failure to respond within the time frame specified above may result in an EPA enforcement action pursuant to federal law, including, but not limited to Section 309 of the CWA, 33 U.S.C. § 1319, and 18 U.S.C. § 1001.

If ZF Gainesville, LLC believes that any of the requested information constitutes confidential business information, it may assert a confidentiality claim with respect to such information, except for effluent data. Further details, including how to make a business confidentiality claim, are found in Enclosure C.

All information submitted in response to this information request must be accompanied by the following certification that is signed by a duly authorized official in accordance with 40 C.F.R. § 403.12(1):

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Please be aware that the EPA may use information in response to this information request in any enforcement proceeding related to this matter.

Enclosed is a document entitled U.S. EPA Small Business Resources-Information Sheet to assist ZF Gainesville, LLC in understanding the compliance assistance resources and tools available to it. Any decision to seek compliance assistance at this time, however, does not relieve ZF Gainesville, LLC of its obligation to the EPA nor does it create any new rights or defenses and will not affect the EPA's decision to pursue enforcement action.

In addition, the Securities and Exchange Commission (Commission) requires its registrants to periodically disclose environmental legal proceedings in statements filed with the Commission. To assist ZF Gainesville, LLC, the EPA has also enclosed a document entitled *Notice of Securities and Exchange Commission Registrants' Duty to Disclose Environmental Legal Proceedings*.

The EPA appreciates your prompt attention to this matter. Should you have any questions regarding this letter, please contact Jeannie Williamson at (404) 562-9402. Legal inquiries should be directed to Mr. Matthew Hicks, Associate Regional Counsel, at (404)-562-9670.

Sincerely,

Denisse D. Diaz, Chief

NPDES Permitting and Enforcement Branch

Water Protection Division

Enclosure

cc: Mr. Bert Langley

Georgia Environmental Protection Division

#### Enclosure A

## **Final Report**

# ZF Gainesville, LLC

# Industrial User Pretreatment Reconnaissance Inspection September 1, 2015

Prepared for:

**EPA** Region 4

61 Forsyth Street, S.W.

Atlanta, GA 30303-8960

Prepared by:

PG Environmental, LLC

607 10th Street; Suite 307

Golden, CO 80401-5817

# Table of Contents

I. Introduction	3
II. Entry	3
III. Opening Conference	3
IV. Tour of Operations	4
V. Records Review	6
VI. Closing Conference	6
VII. Findings	7
VIII. Recommendations	7
IX. Attachments	
END OF REPORT	

# I. Introduction

On September 1, 2015, PG Environmental, LLC (hereinafter, PG) conducted a pretreatment reconnaissance inspection of the ZF Gainesville, LLC facility (hereinafter, facility) on behalf of U.S. Environmental Protection Agency (EPA) Region 4. The facility location and its mailing address are the same: 1261 Palmour Drive SW; Gainesville, GA 30501. The facility does not have an industrial user discharge permit from either the State of Georgia Environmental Protection Division (State of Georgia) or the City of Gainesville (City); however, publicly available information about the facility suggested a potential need for coverage under a control mechanism. The State of Georgia was notified in advance of the pretreatment reconnaissance inspection activity pursuant to its memorandum of agreement with the EPA.

The facility is located in a large warehouse style building along Palmour Drive SW, south of the Lee Gilmer Memorial Airport. The facility is located at latitude and longitude 34.264684 and -83.832101, respectively.

# II. Entry

On behalf of EPA Region 4, PG Inspector, Mr. Danny O'Connell arrived at the facility at 8:50 A.M. and informed a facility employee of the reason for his visit and the purpose of the inspection. He asked whom the appropriate person would be to meet with to discuss facility operations and wastewater generating processes. The facility employee contacted the Human Resources Representative, Ms. Melissa Pethel.

Ms. Pethel provided the contact information for Mr. Heath Talley, the facility's Environmental Health, and Safety (EHS) Supervisor (678-989-5679), and stated that he was at a different facility at that time. Mr. O'Connell contacted Mr. Talley, via phone, to explain the purpose of the inspection. Mr. Talley explained that he was at another ZF facility and would meet Mr. O'Connell at the ZF Gainesville, LLC facility.

While Mr. O'Connell waited for Mr. Talley to arrive at the facility, Mr. Philip Linderenstruth, Director of Operations, asked Mr. O'Connell if he needed anything while he waited for Mr. Talley. Mr. O'Connell asked if he could take photographs during the facility inspection. Mr. Lindersenstruth stated that photographs could be taken at the facility. Mr. Talley arrived at the facility at approximately 9:50 A.M. to participate in the facility inspection.

# III. Opening Conference

Mr. Talley and Mr. O'Connell proceeded to the general waiting room in the administrative area of the facility. Mr. O'Connell presented his inspection credentials and provided a full explanation of the purpose and intent of the reconnaissance compliance inspection. Mr. O'Connell requested that Mr. Talley provide a description of the facility's onsite operations and wastewater generating processes.

Mr. Talley explained that the operations began at the facility in 1987. Mr. Talley further explained that the facility is owned by ZF Germany and that there are two additional ZF

locations within the Gainesville area. Specifically, Mr. Talley referred to the facility as "GNS 1" and mentioned that the company owns the "GNS 2" and "GNS 3" facilities also located within Gainesville. Mr. Talley explained that the GNS 2 facility manufactures gearboxes for wind turbines and that the GNS 3 facility manufactures drive trains for heavy equipment and trucks.

Mr. Talley continued to explain the GNS 1 facility's operations and process flow from raw materials to finished product. The facility machines, assembles, and powder coats various drive components, chassis models, transmissions, axels, and specific truck components for the passenger car and commercial vehicle industries.

Mr. Talley explained that the facility was currently adding a new production line; however, he did not anticipate that the new production line would significantly modify the facility's water usage rate or increase production rates. Specifically, the facility was removing and replacing its powder coating booths that are supplied by natural gas. These had required the facility to obtain an air permit and were causing issues for the facility.

During discussions of the facility's operations, Mr. Talley stated that the facility is connected to the City's sanitary sewer system, but that the facility does not have an industrial wastewater discharge permit. Mr. Talley later recalled that the facility does maintain a "general sewer use" permit with the City. However, a permit was not produced at the time of the inspection. He explained the City collected a sample from the facility's manhole in 2010 to characterize the wastewater discharged from the facility and to identify if a surcharge rate should be applied to the discharges (refer to Attachment 2.A). Mr. Talley also mentioned that the facility has an Air Permit and a Storm Water Permit, both issued by the State of Georgia.

Mr. Talley stated that the facility's warehouse occupies approximately 73,000 square feet of the property and that the facility employs approximately 220 individuals. The facility's process line is divided into two major processes: the truck components production process and the passenger vehicle axels/drive components production process.

Mr. Talley explained that the facility uses an iron phosphate wash process to etch the metal surfaces of the products prior to the powder coating application. Mr. Talley stated that wastewater generated from the iron phosphate wash process is evaporated onsite and is not discharged to the City's publicly owned treatment works (POTW). The volume of waste hauled offsite is tracked and trended internally. For details regarding the tracking mechanism used for waste hauling, refer to Section V, Records Review.

# IV. Tour of Operations

Mr. O'Connell accompanied Mr. Talley on the inspection of the facility's process area, which is located in a single warehouse on the property. Raw materials consist of different types and sizes of forged and cast steel. The facility also uses hydraulic and lubricating fluids, powder coatings, and metal cleaning solutions in its processes.

Mr. Talley explained that the facility receives drive component orders from various automobile manufacturers, both domestic and foreign. Mr. Talley explained that for the passenger vehicle

axel/drive process line, the parts are degreased and serviced and no wastewater is generated from this process.

Mr. Talley also explained that Mr. Ron Scruggs, the Maintenance Facility Technician, is familiar with the facility's powder coating booths and wastewater generating operations. Mr. Scruggs joined Mr. Talley and Mr. O'Connell for some components of the process area inspection.

#### **Machining Process**

Metal castings are machined into parts and assembled into various drive components. Mr. Talley explained that the facility uses approximately 20 computerized numerical control (CNC) machines for the production of drive component parts. Multiple sumps are located throughout the facility's process area in which spent cutting fluids used in the CNC machines are stored. Periodically, the sumps are pumped out using a sump sucker (refer to Attachment 1, Photograph 1). The coolant from the sumps is stored in a 1,000-gallon storage tank and hauled offsite for disposal.

After the machining process, the parts are welded and assembled. Certain drive components are then washed in an iron phosphate wash process, powder coated with either black or yellow powder, packaged, and shipped to various customers.

# Iron Phosphate Wash Solution and Disposal Practices

Mr. Talley explained that prior to powder coating, the metal drive components are washed with an iron phosphate solution. The metal drive component parts are attached to an overhead conveyor and are sent though a multi-stage tunnel washer (refer to Attachment 1, Photographs 2 through 4). As the metal drive components progress through the tunnel washer, various chemical solutions are spray-applied to the metal. The chemical solutions include an alkaline solution for initial cleaning, an iron phosphate solution for etching the surface of the metal, and the application of a sealant and a series of rinse baths.

Mr. Talley stated that none of the solutions from the iron phosphate wash process, nor the rinse water is discharged to the City's POTW. He explained that solutions for the iron phosphate wash process are replenished on a weekly basis, and that spent solutions are hauled offsite semi-annually by a hauling company. Rinse water from the iron phosphate wash process is evaporated onsite on a weekly basis.

Rinse water from the iron phosphate process is collected in a wastewater collection sump located near the powder coating process area. The rinse water is then pumped to a 2,000-gallon holding tank located in the facility's outdoor storage tank containment area (refer to Attachment 1, Photograph 5). Wastewater from the outdoor holding tank is pumped to a 600-gallon indoor holding tank located near the facility's wastewater evaporator unit. Wastewater from the indoor holding tank is pumped into the evaporator unit and evaporated at a rate of approximately 33 gallons per hour. The evaporator unit contains a release valve that allows the facility to drain the content of the evaporator back to the outside holding tank. Mr. Talley explained that the evaporator at the facility is operated 24 hours per day, seven days per week.

The outdoor storage tank area was observed behind the building. Mr. Talley explained that the 2,000-gallon holding tank is used to store rinse water from the iron phosphating process and that the 1,000-gallon storage tank is used to store oily wastes. The 1,000-gallon oily waste tank is pumped out and hauled offsite for disposal. Both tanks are located within a concrete secondary containment structure that contained a locked drain structure (refer to Attachment 1, Photograph 6). Mr. Talley stated that uncontaminated storm water that accumulates within the containment structure is drained out periodically and is allowed to drain and evaporate on the concrete area surrounding the containment structure.

A parts washing unit was observed in a separate area of the facility (refer to Attachment 1, Photograph 7). Mr. Talley stated that the wastewater generated from the parts washer is plumbed to the 2,000-gallon wastewater holding tank and is subsequently evaporated.

#### **Powder Coating Process**

A portion of the washed parts are then powder coated, per customer requests. From the powder coat booth, parts are dried in the facility's oven prior to packaging and shipping. A five-gallon bucket of methyl ethyl ketone (MEK) solvent is stored in the power coat booth area and may be used for cleaning and paint thinning.

#### V. Records Review

Mr. O'Connell reviewed the following documents during or shortly following the inspection:

- December 2010 Wastewater Profile Sampling Results, City of Gainesville Public Utilities Department.\*
- Manganese Phosphate Tank Line Overview and Standard Work Sheets Revised October 17, 2013.
- Future Truck Component (TC) Area Layout Map CONFIDENTIAL.
- Environmental Remedies, LLC Wastewater Hauling Manifest, dated October 9, 2014.\*
- 2015 Plant Sanitary Sewage Graph.\*
- 2015 Waste Graph.\*
- 2015 Plant Sanitary Sewage Costing Spreadsheet.
- Environmental Remedies, LLC and ZF Industries Sales History Documents, January 1, 2015 through July 31, 2015.\*

# VI. Closing Conference

After the inspection of the process and operation areas, Mr. Talley and Mr. O'Connell met in a conference room. Mr. O'Connell explained that, based on the information provided and observed during the inspection, it did not appear that the facility was subject to federal categorical pretreatment standards since wastewater was not discharged to the City's POTW from the categorical processes regulated by 40 C.F.R 433, Metal Finishing. Mr. O'Connell exited the facility at approximately 12:45 P.M.

<sup>\*</sup>These documents are provided in Attachment 2 of this report.

# VII. Findings

- A. The pretreatment standards and requirements identified in 40 C.F.R Part 403 apply to non-domestic discharges to the public sewer. The facility conducts an iron phosphate rinse of the metal drive component parts prior to the powder coating process. This rinse process is considered a categorical operation regulated by 40 C.F.R Part 433, Metal Finishing, however the associated wastewater is evaporated at the facility and not discharged to a POTW. The facility only discharges domestic waste to the City's POTW.
- B. The facility and grounds were acceptably maintained and the facility practices good housekeeping of its raw materials. However, the outdoor storage tank secondary containment structure contained accumulated storm water (refer to Attachment 1, Photograph 8). High water marks were observed on each tank indicating the level of storm water accumulation experienced in the containment structure. Due to the presence of the high water marks on the tanks, it appeared that the secondary containment structure frequently experienced storm water accumulation.
- C. Floor drains were not observed within the process areas inspected during the site visit.

# VIII. Recommendations

The facility needs to take measures to ensure that storm water accumulating into the outdoor storage tank secondary containment structure is routinely drained and appropriately handled to prevent the reduction of containment structure storage capacity and storm water contamination.

# IX. Attachments

Attachment 1

Photograph Log


Attachment 2

Document Log


# Attachment 1 ZF Gainesville, LLC – GNS 1 Facility Photograph Log




Photograph 1. View of the facility's "sump sucker" unit used to the transfer the contents of the collection sump to the outdoor holding tank.




Photograph 2. View of metal components hanging in the powder coating line process area.




**Photograph 3.** View of the facility's tunnel washer unit used for the iron phosphating process.




Photograph 4. View of the aisle way in-between the horseshoe-shaped tunnel washer unit.




Photograph 5. View of the 2,000-gallon wastewater holding tank and 1,000-gallon oily waste storage tank, located in the outdoor tank storage containment area.



**Photograph 6.** View of the drian in the outdoor tank storage containment area. The drain was locked at the time of the inspection. The facility representative explained that the drain is opened to release storm water that accumulates in the containment structure.



**Photograph 7.** View of the parts washing area that is plumbed to the facility's 2,000-gallon wastewater holding tank.



Photograph 8. View of accumulated storm water in the bottom of the secondary containment structure. Note the high water mark on the tanks indicating the level of accumulation that has previously occurred. The presence of storm water effectively reduces the capacity of the secondary containment structure.

# Attachment 2 ZF Gainesville, LLC – GNS 1 Facility Document Log

# Attachment 2.A

ZF Gainesville, LLC - GNS 1 Facility

December 2010 Wastewater Profile Sampling Results, City of Gainesville Public Utilities Department



CITY OF GAINESVILLE

PUBLIC UTILITIES
DEPARTMENT

757 Queen City Purkway, S.W. Gainesville, Georgia 30501 Telephone: 770 . 538 . 2466 Fax: 770 . 535 . 5634 Web Site: www.gainesville.org DE 11/12

December 14, 2010

ZF Transmission Denny Allen 1261 Palmour Drive S.W. Gainesville, GA 30501

Re: Wastewater Sampling Results

Dear Denny Allen

This letter is to notify you that on December 7, 2010 a sample of wastewater was analyzed for conventional pollutants as identified below:

Parameter	Sampli	ng Results	Surcharge Limits*	Violation Limits**	In Violation?
Phosphorus	12.3	mg/L	7 mg/l	20 mg/l	No
Oil and Grease (O/G)	45.3	mg/L	100 mg/l	125 mg/l	No
TSS	44	mg/L	250 mg/l	900 mg/l	No
BOD	244	mg/L	250 mg/l	900 mg/l	No
pH	8.9	STD UNITS	6.0 - 9.5 Units	8.0 - 9.5 Units	No
TKN	123	mg/L	40 mg/l	135 mg/l	No

Please be aware that if you have exceeded the Surcharge Limits listed above, then you may be required to pay surcharges and/or install pretreatment equipment as directed in the Gainesville Code of Ordinances.

If you have questions, please contact me at 532-7462.

Sincerely,

CITY OF GAINESVILLE ENVIRONMENTAL SERVICES

Horace Gee

Environmental Services Aeministrator

- Section 10-1-17
- \*\* Section 5-1-67(b)



4480 Keith Bridge Rd. Cumming, GA 30041

Phone: 770-887-5011 Fax: 770-781-5846

Page 1 of 2

11092910

10/3/2011

4500938773

29 Sep 11 08:58

29 Sep 11 08:56

29 Sep 11 08:55

Waler

## Certificate of Analysis

Client Name Contact: Address:

ZF Industries Inc Mickey Maler

1261 Palmour Dr. SW

Gainesville, GA 30501

Lab Bample #: Sample Number:

11092910-01 Sample Description: Sewer Water

#1 S & R Restrooms

Test Method EPA351.2

**Analyte Name** 

Kjeldahl Nitrogen, Total

Result Units 2.70 mg/L Det Limit 0.4

Received:

Lab Project #:

Report Data:

Client Project:

PO Number:

Analysis Date 30 Sep 11

Sampled Date/Time: 29 Sep 11 07:30

Sampled Date/Time: 29 Sep 11 07:30

Analyst

Lab Sample #: Sample Description: Sewer Water Sample Number:

Test Method

EPA351.2

(

11092910-02 #2 Rear Mazz Coke

Analyte Name Kleidahi Nitrogen, Total Result 37.9

Received:

Received:

Det Limit Analysis Date 30 Sep 11

Analyst CC

Lab Sample #: Sample Description: Sewer Water Sample Number:

11092910-03 #3 Training Room

Test Method EPA351.2

Analyte Name Kjeldahl Nitrogen, Total

Result 23.1

Units mg/L

Units

mg/L

Det. Limit Analysis Date 30 Sep 11

Sampled Date/Time: 29 Sep 11 07:30

Analyst CC

Lab Sample #: Sample Description: Sewer Water Sample Number:

11092910-04 #4 MB Repair Cage

Sampled Data/Time: 29 Sep 11 07:30 Received:

0.4

29 Sep 11 08:55

Analyte Name Kjeldahi Nitrogen, Total

Result 45.2

Units mo/L 0.4

Det. Limit Analysis Date 30 Sep 11

Analyst cc

Approved By:

Test Method

EPA351.2

Brenda Edulado

Laboratory Supervisor

\* This document may be reproduced only in its entirely. As we have no control over the manner in which the cample was taken, the analysis is bread on the sample received. Undo the lot is not guaranteed. Our building is similar to the sample received and for the fas assessed on same.

#### AMPRO LABORATO LES 4480 KEITH BRIDGE RD. CUMMING, GA 30041 Tel 770-887-6011 Fax 770-781-5846

Page: / of /

Client Name	2 F	Tallyit	-: </th <th>LLC</th> <th></th> <th></th> <th>,</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>FOR LAB USE ONLY</th>	LLC			,						FOR LAB USE ONLY
Client Addre	PAlmus	Fax Number			pH				<u>ا با</u>				
GALL	wile C	A 305	0.1		- 6			Analysis	Required /	Contiener	Type	975	and the second
Requested C	Alle	^		Mail demy called BEF. Com	F	7				П			Quoted;
				cc:	ON	K							Metrix Codes:
Project #:			Aryles	100 7500 736-113	17	N							DW = Drinking Water S = Soil WW = Wastewater SL = Studge GW = Groundwater SD = Solid
Date 2-/4-//	Time	Matrix Code*	014	4	N E R							pH	SW = Surface water A = Air ST = Storm water O = Oil L = Liquid P = Product
			X	Mi. Mashleestreet	+	X	-			+		pn	Comments:
2-14-11	-ACE	עעע	1	2MB REPAIR CAGE	+	×	$\vdash$	+	+	-	-	-	
			+	<del> </del>	+	+	-		+	+		-	
			$\vdash$		+	+		_	+	$\vdash$	+	-	
			$\dagger$		1	1	-	$\neg$	+	T	_		
			$\sqcap$		1	T			$\top$	1			l
			Ш										
								1			,	00	
Sampled By:	HArvey	Runce	Date/	ime 14/4/11 9:00 AM	-	3y )	D'	2-8	$\geq$	Dee/Te-	12-14	-//	COC/Custody Seek
Received By:			Date/	The second control of	Refere	abed By				Ome/Time			ICE:
Received By:			Date/	line;	Refere	ished By				Des/Time	S	- 1	Temperature
Received By 1			Dane/	ime: Juylu 11:25 AM	1	ic Shippe Fod EX	d Via: Courie	(Tienes)	OHL Ow				Sample Condition:
Entered Into 1.			coc	lenewed.	Air B	<b>110</b> :							

# Attachment 2.B

# ZF Gainesville, LLC - GNS 1 Facility

Environmental Remedies, LLC wastewater hauling manifest, dated October 9, 2014

WWW.emremedes.com	Assn. Sarr	ple #	Profile # 000	101	SO# 5366
Billing Information	(Written price qt	otes and inquires will	be sent to th	nis address.)	
ompany ZF Generate, I			Account		
ddress 1261 Palmour D	ilire				
ity/State Geheerte. GA		Zip 30507		Contact Pad	Cowert
hone 170-297-40303	Fr	3X 770-287-4023	Cell Phone	E78-283-0836	
mail padametos	Com			310000000000000000000000000000000000000	
Generator Informa	tion / Location of V	Vaste			
enerator Name 25	Cainesville, LLC		Technic	cal Contact Pa	d Comen
remise Address 124	I Palmeur Drive				
ity/State Converte. GA	apv cases i compression and	Zlp 305001		ontact Email <u>e</u>	
ontact Phone 779 297-	4060 Cot	ntact Fax 170-291-4023	Co	intact Cell Pho	
ype of Business Activ	ity Hers/sching of transmiss	ons and sitering components		SIC / NAICS	Code(s) xxx
. Waste Description	Fill in the following	g blanks that apply and	check any ap	plicable box(es	K
ommon Name of Wa	ste Process Wastewa	nler		☑ Weete	by-product from process
rocess Generating W	aste (Refer to epplicable	processes from attached	Table A.	( TV 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	by-proceed itself process
ark any that apply and list	any additional processes	in the following space)		☐ Spill de	
mingled waste water from cook	ints, washers, moo weler, etc.			☐ Spm di	an op
				<u> </u>	38935 124 JANSON
				Plenna	d Site Remediation
					a One Hamedalon
				_	
☐ Howard Product on C	hemical: Are chemicals o	resent which are ested in 40	CFR 261.33	_	UST Corrective Action
Unused Product or C (e) or (f) "U or P lated	Thernical; Are chemicals p	resent which are listed in 40 nicels? List below	CFR 281.33	☐ From a	UST Corrective Action
Unused Product or C (e) or (f) "U or P listed	hemical; Are chemicals p wasto". If so, which chem	resent which are listed in 40 nicels? List below	CFR 261.33	☐ From a	
(e) or (f) "U or P listed	I wasto". If so, which chen	nicals? List below	_	☐ From a	UST Corrective Action
(e) or (f) "U or P listed	I wasto". If so, which chen	resent which are listed in 40 nicels? List below unused product or chemical wasts", if so, which chemical	_	☐ From a	UST Corrective Action
(e) or (f) "U or P listed	I wasto". If so, which chen	nicals? List below	_	☐ From a	UST Corrective Action
(e) or (f) "U or P listed  Water that contains a listed in 40 CFR 261.	waste". If so, which chen 	nicals? List below unused product or chemical wasts". If so, which chemical	_	☐ From a	UST Corrective Action
(e) or (f) "U or P listed  Water that contains a stated in 40 CFR 261.  Physical Propertie	waste". If so, which chen 	nicals? List below: unused product or chemical wasts". If so, which chemical	s which are	Cther	UST Corrective Action
(e) or (f) "U or P listed  Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion (hysical State)	pill cleanup residue from 133 (e) or (f) "U or P listed"	unused product or chemicals wasta* if so, which chemical * F)   Number of Phases	s which are bs. List below:	☐ From a	UST Corrective Action
Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion thysical State 100% Solid Without	pil cleanup residue from 133 (e) or (f) "U or P listed 1	nicals? List below: unused product or chemical wasts". If so, which chemical	s which are bs. List below:	Cother	UST Corrective Action
Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion thysical State  100% Solid Without 100% Liquid with	pil cleanup residue from 133 (e) or (f) "U or P listed 1986 (at 25° C or 77 ut Free Liquid	unused product or chemicals wasta* if so, which chemical * F)   Number of Phases	s which are to List below:	Cther	Color Transparent Translucent Opaque
(e) or (f) **U or P listed  Water that contains a Fisted in 40 CFR 261.  D. Physical Propertic  Physical State  100% Solld Witho  100% Liquid with  Liquid/solid mixtur	pil cleanup residue from 133 (e) or (f) "U or P listed" es (at 25° C or 77  ut Free Liquid No Solids	*F)  Number of Phases.	s which are to List below:	Odor None Mild Strong Describe	Color Transparent Topaque Describe:
Water that contains a Fished in 40 CFR 261.  D. Physical Propertifysical State  100% Solld Witho  100% Liquid with  Liquid/solid mixtur 99 % Free L	pil cleanup residue from 133 (e) or (f) "U or P listed" es (al 25° C or 77  ut Free Liquid No Solids re	"F) Number of Phases 1 by Volume (Appl	List below:	Odor None Mild Strong	Color Transparent Translucent Opaque
Water that contains a fisted in 40 CFR 261.  Physical Propertion hysical State 100% Solid Witho 100% Liquid with Liquid/solid mixtur 9 % Free L 1 % Settled	pil cleanup residue from 133 (e) or (f) "U or P listed" es (at 25° C or 77  ut Free Liquid No Solids	"F) Number of Phases 1 By Volume (App	Layers 3	Odor None Mild Strong Describe	Color Transparent Topaque Describe:
(e) or (f) **U or P listed  Water that contains a listed in 40 CFR 261.**  Physical Propertity in the propertity is a listed with 100% Solld Without 100% Liquid with 100% Liquid/solld mixture    """ Free L  """ Settled  """ Total S	es (at 25° C or 77 ut Free Liquid No Sollds re iquid Suspended Solids Suspended Solids	"F)   Number of Phases   1	Layers 3	Odor None Mild Strong Describe	Color Transparent Translucent Opaque Describe:
Water that contains a listed in 40 CFR 261.  Physical Propertion  Physical State  100% Solld Witho  100% Liquid with  Liquid/solid mixtur  Water that contains a listed in 40 CFR 261.  Physical Propertion  100% Solld Witho  100% Liquid with  Liquid/solid mixtur  Solid Solid Free L  Total State	pil cleanup residue from 133 (e) or (f) "U or P listed 1933 (e) or (f) "U or P listed 1945 (es (al 25° C or 77) out Free Liquid No Soilds regiquid 1 Solids	"F)   Number of Phases   1	Layers 3 FOX.) Bottom	Odor None Mild Strong Describe	Color Transparent Translucent Opaque Describe:
Water that contains a listed in 40 CFR 261.  Physical Propertion hysical State 100% Solid Witho 100% Liquid with Liquid/solid mixtur 9 % Free L 1 % Settlec 5 Total S  liash Point 7 73° F	es (al 25° C or 77  ut Free Liquid No Solids re iquid I Solids Suspended Solids	*F)   Number of Phases   1	Layers 3  OX.) Bottom	Odor None None Strong Describe detergent  Visco	Color Transparent Translucent Opaque Describe:
Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion Thysical State 100% Solid Witho 100% Liquid with Liquid/solid mixtur 9 % Free L 1 % Settlec 1 Total S Flash Point 73° F 73° - 100° F	es (al 25° C or 77  ut Free Liquid No Soilds  re iquid Solids  pH  2	"F)   Number of Phases   1	Layers 3  OX.) Bottom 12  Oleum) Nater/Petrole	Odor None  Mild Strong Describe detergant  Visco	Color Transparent Transparent Opaque Describe: Iron Indiana
Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion of the properties of the propertie	pa deanup residue from 133 (e) or (f) "U or P listed 133 (e) or (f) "U or P listed 14 No Soilds re iquid 15 Soilds Suspended Soilds pH	*F)   Number of Phases   1	Layers  Layers  Ook.)  Bottom  12  Ooleum)  Nater/Petrole	Odor None  Mild Strong Describe detergant  Visco	Color Transparent Translucent Opaque Describe:
(e) or (f) *U or P listed  Water that contains a Fisted in 40 CFR 261.  D. Physical Propertion  100% Solid Witho  100% Liquid with  Liquid/solid mixtur  9 % Free L  1 % Settled	es (at 25° C or 77  ut Free Liquid No Solids re iquid J Solids Suspended Solids  pH 2.1 - 4.9  7.5.1 - 9	"F) Number of Phases.  1 Specific Gravity  9 Specific Gravity  0 8 (e.g. Pet	Layers Lat below:  Layers Jayers Jayers Jayers Jayers Jayers Jayers Jayers Jayers	Odor None Mild Strong Describe overgent Visco	Color Transparent Transparent Opaque Describe: Iron Indiana

E. Volume										10	887
Anticipated Volume:	5000 guillons		[	Drum:	s □ B	ulk [	Other =	needed			
Generation Frequen		One Ti	me [	Batch	☑ c	ontinuo	2UI				
Estimated Shipment	Frequenc	y:	[	☐ Week		emimor	nthly 🔲 A	lonthly	Ø	Quarterly	
F 6											
F. Composition	(Must add	up to 10		ide inert			debris if ap	plicabl	e.)		
coclanta				_%	cutting of					1-2	_%
			-1	_%	detata						_%
phosphate/all-all weater water				_%							_%
										otal 100	_%
G. Constituents	(Provide chi	emical cor	centrations	below a	nd altach a	ellavalla	ble data inclu	iding Le	b An	alysis and MSDS	(8)
These values are bar INORGANIC	sed on	∠ kn	wedge		testing						
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	000000 400000 000	V2-200000000				1					
	egulatory	Conc.	Other		Conc.	Pesti	cides/Herbici		egula		
D004 Arsenic	vėl (m/gl) 5.0	(mg/i)	Ammonia		(mg/l)	DO12	Endrin	L	ovel (r 0.0		
	100.0	•	Phosphon.	_		D013	Lindane		0.4		
D006 Cadmium	1.0	•	Formaldeh			D014	Methocychi	~	10.0		
D007 Chromium	5.0	•	COO	yse	-	D015	Toxaphene	_	0.5		
D008 Lend	5.0	0	Total Solid		7.5%	D016	2.4-0		10.0	6 030 mm 177 mm 177	
D009 Mercury	0.2	0		-		D017	2,4,5 - TP (	6Evex)	1.0	All the second s	
D010 Selenium	1.0	0	PC8s		0	D020	Chlordane	-7710 (BOM)	0.0	And the second	
D011 Silver	5.0	0	Dioxins		0	D031	Heptachlor		0.0	0 80	
OTHER METALS: Con	ic. (mg/l)	17107			2000	1	(and its exp	oxide)		9 <del>111111</del> 0	
Antimony 0	Серре			Titenium	0	1					
Berytlium 0	Nickel	0		Vanadium	•	i					
Cobatt 0	Tin	- 10		Zinc	<u>•</u>						
ORGANIC Volatile Compounds	Regulati Level (m		10011	ni-Volatile	Compou		Regulatory Level (mg/l)	Cont (mg/l		Other Hazards	
D016 Bertzene	0.5	0	_ D02	o-Cres	~		200.0		5210 10 5 8	☐ Water Reactin	ve
D019 Carbon Tetrachloride	0.5	٥	_ 002		-		200.0	•		_ 	
D021 Chlorobenzene	100,0	٥	_ D02				200.0	0		OSHA Regula Carcinogens	tted
D022 Chloreform	6.0	0	_  002	Cresol	(Total)		200.0	0		Lagrange rese	
D025 1,2 - Dichlomethene		0	_ D021	1,4-Dk	hiorobenze	ne	7.5	0		☐ Oxidizer	
D029 1,1 - Dichleroethyler			_   0030	2,4-Dir	itrotolueno		0.13	0	- 1	Reducer	
D035 Methyl Ethyl Ketone	200.0	0	_ D032		orobenzene		0.13	0	- 1		
D039 Tetrachlomethylene D040 Trichlomethylene	0.7	0	_   0033		Norobutadie	ene	0.5	0		☐ Infectious	3
D043 Vinyl Chloride	0.2	0	_ D034		Noroethane		3.0	0		☐ Thermally Ser	istive
	0.2	-	_ D037			.00	2.0	-			Delinesenta (-
			D03/		hlorophenol		100.0	-	- 1	Corrosive	
			D041		a richlorophe		5.0 400.0	•		Other	
			D042	14,079	richloropher		2.0	0	- 1.		
H. Regulatory Status				,-,- ,				_	_		
a the waste a RCRA Ch		or I leted	Hazardous	Masta /n	40 CER	E 2611	2		Yes	[Z] No	
Mill treatment of waste	nenerate a l	icted have	ridous was	AAMSIG (b	el 40 CFN	9 2017	•	П	Yes	☑ No	- 1
s the waste a State Haz			nocus mus					ä	Yes	Z No	- 1
s the waste a Used Od								$\bar{D}$	Yes	[7] No	- 1
s this waste regulated u			SHAP rule	s (per 40	CFR & 81	17		ñ	Yes	☑ No	
s this waste from a UST							ough		200		- 1
0043 [per 40 CFR § 26	1.4(b)(10)]?	gene Printere (* 1110) N				77:59 12 12 13	nas <del>-</del> 1824		Yes	☑ No	
s the waste a USDOT H									Yes	☑ No	
yes to any, describe											_
I. Sample Status				-	ampled b	v [	Oct Evere				$\neg$
Representative sample ha	s been suppl	ed? (7)	Yes 🛅 I	- m20		, -		-			- 1
W = 1 1000/07			. 55 🗀		ate Samp	Med: _			-	_	- 1

generator of the waste, I am legally responsible for n Resource Conservation and Recovery Act, 42 U.S. If Environmental Remedies discovers a discrepan-	representations made by or on behalf of the undersigned is samples submitted are representative of the waste actually naking a determination as to whether the waste I am submit 0. § 6907, et soq. as provided in 40 Code of Foderal Region of the provided process, generator grants. Environ the process of the process of the process of the process.	sent for treatment; and 3) as ting is a hazardous waste under the
amend the profile as Environmental Remedies deen	is necessary to reflect the discrepancy	nmental Remedies the authority to
Signature of Generator Representative Paul	Generator Representative Name (print) Paul Cowart	Date 10/9/14
Environmental Remedies Representative	Ortt Evans	10/9/14

# A industrial Processes Mark yes or no for any and all industrial processes that apply to your operation(s) description or anoduring of exploration or any and all industrial processes characteristic control of aluminum coaling of aluminum wood preacting processes generated a planta that currently use or have previously used chlorophenolic formulations wood preacting processes generated at planta that currently use or have previously used chlorophenolic formulations wood preacting processes generated at planta that currently use or have previously used chlorophenolic formulations wood preacting processes generated at planta that currently use or have previously used chlorophenolic formulations wood preacting processes generated at planta that currently used on the disposal of more than one restricted waste classified at hazardous the production of chrome yellow and omage prignens the production of chrome yellow and omage prignens the production of chrome yellow and omage prignens the production of chrome yellow pagments (anhydrous and hydrated) the production of chrome yellow pagments (anhydrous and hydrated) the production of chrome yellow pagments (anhydrous and hydrated) the production of chrome yellow pagments (anhydrous and hydrated) the production of chrome yellow pagments (anhydrous and hydrated) the production of chrome yellow pagments (anhydrous and hydrated) the production of pagments (anhydrous and hydrated) the production

40 CFR 4252.11 states as fellows:

A person who generates a solid weste, as defined in 40 CFR 261.2, must determine if that weste is a hazardous waste using the following method

(a) the should first determine if the waste is excluded from regulation water 40 CFR 261.4.

(b) the must then determine if the waste is instelled as hazardous waste in subpart D of 40 CFR part 261.

(c) For purposes of compliance with 40 CFR port 268, or life waste is subpart D of 40 CFR part 261, the generator mest than determine whether the waste is identified in religion? Of 40 CFR part 261 by either


(1) Testing the waste according to the medicular at forth in subpart C of 40 CFR part 261, on seconding to seconding to second approved by the Administrator water 40 CFR 262.10


(2) Applying have welder of the hazard characteristic of the waste in light of the materials or the processes used:

(3) If the waste is determined to be learnedous, the generator must refer to parts 261, 264, 265, 266, 267, 268, and 273 of this chapter for possible exclusions or restrictions pertaining to meanagement of the specific waste.

Electroplasing includes plating production processes that include common and processes metals electroplasing, uncohereng, chornesis conversion coasting (i.e., coloning, chromating phosphaling and summersum plating), electrodest plating, chemical exching and militing and printed circuit bond manufacturing. The printary purpose of electroplating operations is to apply a set fock constitute, proceeding and continue of electroplating operations in the continue of electro

# Attachment 2.C ZF Gainesville, LLC – GNS 1 Facility 2015 Sanitary Sewer Graph and Waste Graph





# Attachment 2.D

ZF Gainesville, LLC - GNS 1 Facility

Environmental Remedies, LLC and ZF Industries Sales History Documents, January 1, 2015 through July 31, 2015

## Environmental Remedies, LLC ZF Industries Sales History 01/01/15 to 07/31/15

Generator

ma1

\$ Total	Column La 2015	bels							
Row Labels	Jan		Feb		-	22			<b>Grand Total</b>
IC		450	Len	Mar	Apr	May	Jun	Jul	
LABOR - TECHNICIAN					950.00				950.00
SAFETY EQUIPMENT LEVEL A					280.00				280.00
VACUUM TRUCK/ HR					150.00				150.00
TRANS		2000000			520.00				520.00
FUEL SURCHARGES				1,003.00	477.10	522.75	501.50	501.50	
LOADING TIME (1 hr free)		76.50	229.50	153.00	152.10	76.50	76.50	76.50	THE PERSON NAMED IN COLUMN 2 I
TRANSPORTATION VAC TRUCK						21.25			21.25
					325.00				325.00
TRANSPORTATION/FREIGHT		425.00	1,275.00	850.00		425.00	425.00	425.00	
		476.65	2,010.03	1,336.33	663.95	1,339.72		715.83	7,252.39
65001 INDUSTRIAL PROCESS WASTE		476.65	2,010.03	1,336.33		1,339.72		715.83	
Grand Total						1,862.47	1,211.38	1,217.33	7,252.39 <b>13,214.24</b>

# Environmental Remedies, LLC ZF Industries Sales History 01/01/15 to 07/31/15

Generator

(All)

Quantity	Column Labels							
Row Labels	Jan	Feb	Mar	Apr	May	Jun	Jul	<b>Grand Total</b>
IC				13.00				13.00
LABOR - TECHNICIAN				8.00				8.00
SAFETY EQUIPMENT LEVEL A				1.00				1.00
VACUUM TRUCK/ HR				4.00				4.00
TRANS	2.00	6.00	4.00	3.00	3.25	2.00	2.00	22.25
FUEL SURCHARGES	1.00	3.00	2.00	2.00	1.00	1.00	1.00	11.00
LOADING TIME (1 hr free)					1.25			1.25
TRANSPORTATION VAC TRUCK				1.00				1.00
TRANSPORTATION/FREIGHT	1.00	3.00	2.00		1.00	1.00	1.00	9.00
ww	1,906.59	8,040.10	5,345.33	1,896.99	5,358.88	2,839.52	2,863.31	28,250.72
65001 INDUSTRIAL PROCESS WASTE	1,906.59	8,040.10	5,345.33	1,896.99	5,358.88	2,839.52	2,863.31	28,250.72
Grand Total	1,908.59	8 046 10	5 349 33	1 917 99	5 367 13	2 841 52	2 865 31	28.285.97

		Iotal Sakra Pros	W 5367	604.27 WW	731.30 WW	674.46 WW	WW 50573	WW 19 099	WW 55139	1,339.72 WW	709.23 WW	7.252 BG WANT TOWN	76.50 TRANS	76.50 TRANS	76.50 TRANS	SASO TRANS	SULED TRANS	SESS TRACK	SAST SAST	26.50 TRANS	75.50 TRANS	76.50 TRUNG	21.25 TRANS	425.00 TRANS	AND TRANS	425.00 TRANS	425.00 TRANS	425.00 TRANS	425.00 TRANS	425.00 TRANS	425.00 TRANS	SOLLES TRANSTON	280.00 K	150.00 IC	520.00 K	950.00 K Total	LACTOR OF THE PART				
	Price/		•	٥	0	٥	0	٥	0	0	0 0	s'	0	•	0	0	0	0 0	0 0	0	0	0	12	9 5	3	13	527	425	Đ.	3	9 1	2	ä	2	×	1	1				
		Shemitz VOM	1.907 GALLON	2,417 GALLON	2.925 GALLON	2,698 GALLON	2,700 GALLON	2,643 GALLON	1,537 GALLON	5.359 GALLDIV	2,840 GALLON	151.12	-	-	-					-		-	1 HOUR	3 3	200	5	200	5	3	5 2	5 5	n	B HOUR	- 04	4 HOUR	22.26	The same of the sa				
		Perseriation	EXACT INDUSTRIAL PROCESS WASTE	EGODI INDUSTRIAL PROCESS WASTE	65001 INDUSTRIAL PROCESS WASTE	GOOD INDUSTRIAL PROCESS WASTE	ENGLI INCOUNTRIAL PROCESS WASTE	65001 INDUSTRIAL PROCESS WASTE	ESCOT INDUSTRIAL PROCESS WASTE	ESCUT INCUSTRIAL PROCESS WASTE	65001 WDUSTRIAL PROCESS WASTE		FUEL SURD-LARGES	FUEL SURCHARGES	IND SUBCINETS	FUD SUBORABETS	FUEL SURDIANGES	FUEL SURCHANGES	FUEL SURCHARGES	FUEL SURCHARGES	FUEL SUPCHARGES	FUEL SURCHARGES	TRANSPORTATION/TERIORIT	TRANSPORTATION/TREIGHT	TRANSPORTATION/FREIGHT	TRAKSPORTATION/FREIGHT	TRANSPORTATION/TREDGHT	TRANSPORTATION TREGGIT	TRAKSORTADOM/FROGET	TRANSPORTATION/FRENCHT	TRANSPORTATION VAC TRUCK		LABOR - TECHNICLAN	SAVETY COUIPMENT LEVEL A	VACUUM TRUCK/ HR						
		Manites Items	in a	ine.	1000	1000	in a	100	1000	10000	10059		<b>4</b>	<b>d</b> 3	1 11	מנו	ממי	run	FULL	TID.	אמנו	יחמיטייטי	TRANS	TRANS	TILVES	TRANS	THE STATE OF THE S	TRANS	TRANS	TRANS	TRANSVACTE		MONTEN	NATITIENA.	VACINOCEA						
	1	Ø						ACOUNT BY	450144059						4500958386	4500558386					ACO1 4 BOCO	501480679						501480629			4500358386	-	Section 2	SCOOK SIN	2000						
	1	DELIN CLEAR						•		ns					57	\$					*	2 43						ð			3			9 2	,						
	Oate Implie Number Cale Paris	5	02/02/15 26731	02/10/15 28403	02/23/15 30780	737753 37757	03/25/15 35641	04/18/35 41341	05/04/15 43226	5525 51/45/50	07/04/15 55.261	m,415,167,00	01/22/15 25017	01/25/15 35612	04/11/15 41141	D4/14/15 41141	מינו פויטועם	02/17/15 307ED	19255 517070	06/24/15 57577	G5/D8/15 43276	05/00/15 43216	C27/15 317(C)	727.15 31767.0	מוסיב בדוכיות	02/10/15 28401	16731 15 16733	05/08/15 43236	CK214 IS 51273	07/04/15 55261	04/14/15 41/41	04/14/15 47/47	04/11/15 43143	04/18/15 41141							
21/15/10 to 51/11/15	Generator	IF WOUSTRIES, LLC	27 ENDUSTRES, LLC	E WIDUSTRUES, LLC	T avous TRUES, LLC	T INDUSTRIES, LLC	IF INDUSTRIES, ILC	5 INDUSTRIES, INC.	ZI WINDPOWER	J INDUSTRIES, LLC	F INDUSTRICS, LLC	7 DOUSTRIES 11C	TF INDUSTRIES, LLC	27 PYDUSTRIES, LLC	2F INDUSTRIES, INC.	F IMPOSTRUES, INC.	The state of the s	T DATE STREET, LLC	F INDUSTRIES LIC	IF INDUSTRIES, LLC	T WINDPOWER	F WHOPOWER	TO INDUSTRES, LLC	THE INDUSTRIES, LLC	If MOUSTRES HE	27 INDUSTRIES, LLC	25 INDUSTRIES, ILC	ZF WINDPOWER	ZF UNDUSTRAES, LLC	F INDUSTRIES, LLC	WOOSTINES, INC.	D WOUSTRES, INC.	27 INDUSTRIES, INC.	IT INDUSTRUES, INC.							
A INPOSTOR SAME MINORY GLAZALE TO 07/31/15	Customer Billers	If Industries 2				If Industries 2		_			Z industries Z	T industries 7				I industries							7 Industries 2							D Industries D	Canada I			T Industries T							
INCASE	Selection	EAST	153	EAST	ENST	53	53	EAST	FK1	53	1573	נאט	1571			3 5							3 5						3 5		7.0	EAST		53							

			THE STATE OF THE PARTY OF THE P	TX OD TRANS	***	75.50 734.66	See Task		The State of the s	AND TRANS		76 SD TRANS	LZS CO TRANS	WW	76 SO TRANS	425 CO TRANS	76 SO TRANS	425.00 TRANS	*	58.50 TRAUS	93 60 TRANS	125.00 TRANS	۷,		WW	76.50 TRANS	21.25 TRANS	125.00 TRAVS	W	TESS TRUNS		76.50 TRAVE	TRUNS						
		The light way	2 2 2	2 8	604 37 WA	2	2 2 2	201 00 101	3 5	S X	674 46 WW	76.50	42500	WW 99:579	28 22	42500 1784	5 %	42500	WW 56 139	58.50	9360	3230	2000	S 2000 K	1,339.72 WAV	25	213	425.00	WW E3 604	ASO TRUNS	W. C. S. C.	25	425.00 TRUNS						
	Price.	3	• •	425	0		25	9		5	0	0	435	0	0	9 '		433	0	0	0	£ ;	3 5	3 2	•	۵	12	Ð,	0 1	2	9 -	0	Š						
		NOT CALLOW		1 CACH	2417 GALLON	-		2010	, see .	1 565	2.638 GALLON	1	1 540	2.703 GALLON	-	93.3		155	1.897 GALLON		-	E EAG	200	HOCH	S,359 GALLON		1 HOUR	200	YOUNG CHICH	273	2 Sel GALLON	-	1 5404						
		SECTION SECTION DESCRIPTION DE	FUEL SURDIMISES	TRAKSPORTATION/FREIGHT	63001 INDUSTRIAL PROCESS WASTE	RUFI SURCHARGES	TRANSPORTATION/FREIGHT	ACOUTING THE PROPERTY OF THE P	FUEL SURCHANGES	TRANSPORTATION/IREIGHT	65001 WDUSTRUAL PROCESS WASTE	FUEL SUPCHARGES	TRANSPORTATION/FREIGH:	65001 INDUSTRIAL PROCESS WASTE	FUEL SURCHANGES	TAMSPORTATION/PEDGHT	TUEL SURONNESS	TRANSPORTATION/FROGHT	65001 INDUSTRIAL PROCESS WASTE	FUEL SURCHARGES	FUEL SURCHANGES	TRANSPORTATION VAC TRUCK	CAPTY COMPARENT LIVES A	VACAUM TRUCK/ HR	65001 INDUSTRIAL PROCESS WASTE	FUFL SURCHARGES	LOADING TIME (1 hr free)	TRAIGNORTATION/TREGET	SAULI INDUSTRIAL PROCESS WASTE	TRANSPORTATION/TRANSPORT	65001 INDISTRIAL PROCESS WASTE	FUEL SURCHANGES	TRANSPORTATION/FREIGHT						
	į	3	FUEL	TRUNG	65001	FUR	TRAKS	(Son)	FUEL	TRAIG	1009	101	TRANS	65001	50	Sept.	FUE	TRANS	10093	FUEL	170.0	TANGVACTE	SATTINES	VACTRUCKH	10059	NB	DADTAIL.	DOM:	1000	TRANS	10039	D.C.	TRANS						
	1	HE TOTAL OF THE PARTY OF THE PA																																					
	8																		1500958336	4500358386	4500958386	50055556 600556786	550058386	4500958326	1501480629	1501480629	501480629	STATE OF THE PARTY											
	Insolve Rumber Sales Order	No.																	1.8	•	•	•	•	•	•	•	•	•											
	c Rumber																																						
	Date	2	71025 21/12/10	78025 21/15/10	02/02/15 26731	1572/15 25731	16735 267310	02/10/15 28403	02/10/15 28403	02/10/15 28403	02/23/15 30780	02/23/15 30780	02/23/15 30780	03/10/15 31787	OLIVER SIVER	07/25/15 19641	03/15/15 15641	03/25/15 35641	04/18/15 41141	04/18/15 41141	04/18/15 41141	04/18/15 41141	04/18/15 41141	04/18/15 41141	05/08/15 41226	05/02/15 41226	05/08/15 43226	05/14/16 67671	06/14/16 53571	06/14/15 52573	07/03/15 55261	07/08/15 55261	07/08/15 55261						
1772 10 877 1773	Generator	IT INDUSTRES, LLC	THOUSTRES, LLC	INDUSTRICS, LLC	F INDUSTRIES, LLC	F INDUSTRIES, U.C.	F INDUSTREES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	F INDUSTRIES, LLC	NOUSING III	WDUSTRIES, LLC	F INDUSTRIES, LLC	INDUSTRIES, LLC	INDUSTRUES, INC.	INDUSTRIES, INC.	INDUSTRIES, INC.	INDUSTRUS INC	INDUSTRIES, INC.	INDUSTRIES, INC.	WINDPOWER	WINDPOWER	WANDOWER	INDASTRIES LIC	UDISTRIES IIC	ZI INDUSTRIES, U.C.	INDUSTRIES, LLC	INDUSTRIES, LLC	INDUSTRIES, LLC						
A CONTROL SHEET BEAUTY OF COLUMN STATES OF COLUMNS SHEET SHE	Customer Billed			7 Industries 2	2 salutangul 42	If Industries 2	7.27	2F Industries 2	01520		100.20	101517		I Industries II							D Industries D					I industries IF			2000				# Industries #						
- Control	Sales Reg	1			2 1573	EAST D		EAST 20						מו מו				EV2 IS			100					100			11000	200	32	מ	150						

	1550 TRANS	
	150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150   150	
	2417 GALLON 1 1 FACH 2417 GALLON 1 1 FACH 2417 GALLON 1 1 FACH 2481 GALLON 1 1 FACH 1 FACH 2481 GALLON 1 1 FACH 2481 GALLON 24	
	SQUI INDUSTRUA PROCESS WASTE TRAGGORIANDOSTRUA PROCESS WASTE TRAGGORIANDOSTRUA PROCESS WASTE TRAGGORIANDOSTRUA PROCESS WASTE TRUE SUNDOSTRUA PROCESS WASTE	
	65001 FUEL FRANS ESSOOI FUEL FRANS FUEL FRANS ESSOOI FUEL FRANS	
	12 12 14 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	
	20075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118 250075118	
	म्बर्ग कर के कि कि जा कि	
	Date   Introduction   Date   Introduction   Date   Introduction   Date	
17117/ABI (1717/	DEMOSTREES, LLC THOUSTREES, LC THOUSTREES, LLC	
	2 Cultimate 2 Industries 3 Indu	
	######################################	

# **END OF REPORT**

#### **ENCLOSURE B**

# INFORMATION REQUEST PURSUANT TO SECTION 308 OF THE CLEAN WATER ACT

#### Instructions

- 1. Identify the person(s) responding to this Information Request.
- Please provide a separate narrative response to each and every Question and subpart of a
  Question set forth in this Information Request.
- Precede each answer with the text and the number of the Question and its subpart to which the answer corresponds.
- All documents submitted must contain a notation indicating the Question and subpart of the Question to which they are responsive.
- In answering each Information Request Question and subpart thereto, identify all documents and persons consulted, examined or referred to in the preparation of each response, and provide true and accurate copies of all such documents.
- 6. If information not known or not available to you as of the date of submission of a response to this Information Request should later become known or available to you, you must supplement your response to the EPA. Should you find at any time after the submission of your response that any portion of the submitted information is false or misrepresents the truth, you must notify the EPA as soon as possible.
- For each document produced in response to this Information Request, indicate on the document, or in some other reasonable manner, the number of the Question to which it responds.
- 8. Where specific information has not been memorialized in a document, but is nonetheless responsive to a Question, you must respond to the Question with a written response.
- If information responsive to this Information Request is not in your possession, custody or control, then identify the person from whom such information may be obtained.
- 10. If you have reason to believe that there may be persons able to provide a more detailed or complete response to any Question or who may be able to provide additional responsive documents, identify such persons and the additional information or documents that they may have.
- 11. The EPA requests that all documents provided in an electronic format be compatible with pdf.
- 12. The EPA requests that all spreadsheet information be in an electronic format and compatible with MS Excel.

13. If any Question relates to activities undertaken by entities other than the recipient of this Information Request, and to the extent that you have information pertaining to such activities, provide such information for each entity.

#### **Definitions**

- All terms not defined herein shall have their ordinary meanings, unless such terms are defined in the Clean Water Act or its implementing regulations, in which case the statutory or regulatory definitions shall control.
- Words in the masculine may be construed in the feminine if appropriate, and vice versa, and words in the singular may be construed in the plural if appropriate, and vice versa, in the context of a particular question or questions.
- The terms "And" and "Or" shall be construed either disjunctively or conjunctively as necessary
  to bring within the scope of this Information Request any information which might otherwise be
  construed outside it scope.
- 4. The term "Identify" means, with respect to a natural person, to set forth the person's name, present or last known business address and business telephone number, present or last known home address and home telephone number, and present or last known job title, position or business.
- 5. The term "Identify" means, with respect to a document, to provide its customary business description; its date; its number, if any (invoice or purchase order number); the identity of the author, addressee and/or recipient; and substance of the subject matter.
- 6. The term "Identify" means, with respect to a corporation, partnership, business trust or other association or business entity (including a sole proprietorship), to set forth its full name, address, legal form (e.g., corporation, partnership, etc.), organization, if any, and a brief description of its business.
- 7. The term "Facility" means ZF Gainesville, LLC's facility located at 1261 Palmour Drive SW in Gainesville, Hall County, Georgia.
- 8. The term "You" and "Your" shall mean ZF Gainesville, LLC.
- 9. The term "Permit" shall mean an industrial user permit issued to the Facility by the Control Authority.
- 10. "Control Authority" shall have the meaning set forth in 40 C.F.R. § 403.3(f).

#### Questions

- Identify the names and addresses of the current owner(s) of the Facility properties. Specify the legal name with the exact spelling of each owner. Specify the state of incorporation and principal place of business for each corporate owner. If incorporated, provide the name and mailing address of the registered agent. Additionally, provide a copy of the deed(s) of ownership of the Facility.
- 2. Identify the parent corporation and all subsidiaries of ZF Gainesville, LLC.
- 3. If the Facility has applied for and/or received a Permit for such discharges, then provide a timeline of the wastewater permitting history for the Facility, e.g., from 1987 to the present, including:
  - a. the date(s) that Permit applications were either requested by the Control Authority or submitted by the Facility;
  - b. the date(s) that draft or final Permit(s) were received by the Facility; and
  - c. the date(s) that comments on such draft(s) were submitted to the Control Authority.

If the Facility has never received a Permit for the discharge of process wastewaters to a publicly owned treatment works, then please explain this in the response.

- 4. Provide the date that the evaporator system was installed, the date that it first began operation, and the date that discharges of phosphate washwaters ceased being discharged to a public sewer, if they were discharged there previously.
- Provide a legible engineering schematic of all conveyances leading to and from the evaporator unit(s), indicating any valves and other appurtenances, any bypass lines and their operating controls, the direction of flow, a description of the flow sources and endpoints, and a description of the flow contents.
- 6. Identify what procedures the Facility has in place, if any, to address a circumstance where the evaporator system suddenly becomes temporarily or permanently inoperable.
- 7. If the Facility evaporator first began operation on or after November 1, 2011, then also provide the following:
  - a. Provide complete copies of all communication to or from the Control Authority from the date the phosphate wash assets were purchased to the date the evaporator first began operation which concern the Facility's process wastewater discharge(s). This information should be organized in chronological order with a table of contents. Communication that only regards water/sewer service billing or payment can be excluded;
  - b. Provide a timeline identifying the Facility's construction and narrative describing its iron phosphate wash assets and their acquisition dates. Include the dates when the initial

construction of those assets began and when the initial discharge of process wastewater to the public sewer began and ceased;

- c. If the Facility was purchased in whole or part, then also provide the final contract date(s) for the purchase(s) of the phosphate wash assets. Provide the final purchase contract dates and detailed descriptions of any substantive modifications, additions, or replacements made to any iron phosphate wash assets;
- d. Provide all wastewater monitoring data collected by, or under contract to, the Facility since the discharge of process wastewater from the Facility to a public sewer began until it ended. The EPA prefers that such data be provided as a summary in an electronic spreadsheet format compatible with MS Excel. Present the data for laboratory-tested samples separately from data for flow, pH, temperature and other field- or continuously-monitored parameters. Include the following for each data point:
  - i. Parameter monitored;
  - ii. Date monitored (month/day/year);
  - iii. Analytical result;
  - iv. Units;
  - v. Analytical method;
  - vi. Sample type (grab, time-proportional composite, or flow-proportional composite)
  - vii. Flow recorded at the time of monitoring;
  - viii. Sampling location; and
  - ix. Flow monitoring location.

Analytical methods need only be provided for laboratory analyses; for flow, pH, temperature and other field- or continuously-monitored parameters, identify the testing equipment used and their calibration frequencies. For flow monitoring data, only (i), (ii), (iii), (iv), and (ix) need to be provided;

- e. Provide a copy of any inspection reports, notices of violations, administrative orders, cease and desist orders, and any related correspondence from local, State or federal agencies related to the Facility since any discharge of process wastewater began from the Facility to a public sewer; and,
- f. Provide copies of all reporting sent in accordance with the regulations at 40 C.F.R. § 403.12 and/or under the Permit beginning at least 90 days before discharge to a public sewer until the date of this Information Request, including, but not limited to:
  - i. Baseline report, as required by 40 C.F.R. § 403.12(b)

- ii. Report on initial compliance with categorical pretreatment standards, as required by 40 C.F.R. § 403.12(d); and
- iii. Periodic report(s) on continuing compliance with categorical pretreatment standards, as required by 40 C.F.R. § 403.12(e).

#### **ENCLOSURE C**

### RIGHT TO ASSERT BUSINESS CONFIDENTIALITY CLAIMS

(40 C.F.R. Part 2)

Except for effluent data, you may, if you desire, assert a business confidentiality claim as to any or all of the information that the EPA is requesting from you. The EPA regulation relating to business confidentiality claims is found at 40 C.F.R. Part 2.

If you assert such a claim for the requested information, the EPA will only disclose the information to the extent and under the procedures set out in the cited regulations. If no business confidentiality claim accompanies the information, the EPA may make the information available to the public without any further notice to you.

40 C.F.R. § 2.203(b). Method and time of asserting business confidentiality claim. A business which is submitting information to the EPA may assert a business confidentiality claim covering the information by placing on (or attaching to) the information, at the time it is submitted to the EPA, a cover sheet, stamped or typed legend, or other suitable form of notice employing language such as "trade secret," "proprietary," or "company confidential." Allegedly confidential portions of otherwise non-confidential documents should be clearly identified by the business, and may be submitted separately to facilitate identification and handling by the EPA. If the business desires confidential treatment only until a certain date or until the occurrence of a certain event, the notice should so state.